

16-23 TOYOTA TACOMA APEX SERIES ROCK SLIDERS













Model:	ATTTA02C101-BX
Material:	E-Coated Steel
Package Dimensions:	83" x 23.2" x 11"
Product Weight:	140. 2 lbs

⚠ WARNING










This product is designed primarily to enhance the appearance of the vehicle. Do not rely on any component of this product for protection against injury or death in the event of an accident. To reduce the risk of serious injury or property damage, please read all safety warnings and carefully review all instructions and procedural notices before attempting to install or use this product.

⚠ CAUTION

✂ Please recheck fasteners after 250 miles and inspect frequently.

REQUIRED TOOLS	Socket 	Ratchet 
	Flathead Screwdriver 	Wrench 
	Allen Wrench 	Extension 
	Drill 	Hex Bit Socket 
Cutting Tool 	Clip Remover 	

Parts Information

NO.	Parts Name	Size	Illustration	Qty
/	Running Board	/		2
/	Left and Right Nut Plates	/		2
/	Left and Right Nut Plates	/		2
/	Left and Right Nut Plates	/		1
B35	Hex Bolt	'M10*35-8.8		16
W23	Flat Washer	'φ10*25*2mm		22
W22	Spring Washer	'φ10		16
N15	Hex Nut	M10-8		8
M01	Zip Tie	5*250mm		4


※Note: One pack of spare parts is provided.

Installation Instructions


Step 1: Open the box and check that all components are included.

Step 2: Remove the brake wiring harness and carefully move it aside to make space.


Step 3: Begin installation on the driver's side.



※Left




※ Left




※ Please note: The oversized washers go towards the frame side of the truck.

※ The box on the right needs to be cut.



※ Remove the cover to access the bolt.

※ The inside of the driver's side.



※ Move the brake lines in order for the cover to come out.

※ Remove the cover to slip in the large nut plate.

